

# **INFORMATIK BERICHTE**

352 – 7/2009

## **Efficient $k$ -Nearest Neighbor Search on Moving Object Trajectories**

**Ralf Hartmut Güting, Thomas Behr, Jianqiu Xu**



**Fakultät für Mathematik und Informatik  
Postfach 940  
D-58084 Hagen**

# Efficient $k$ -Nearest Neighbor Search on Moving Object Trajectories

Ralf Hartmut Güting, Thomas Behr, Jianqiu Xu

Database Systems for New Applications, Mathematics and Computer Science  
University of Hagen, Germany  
{rhg,thomas.behr,jianqiu.xu}@fernuni-hagen.de

July 25, 2009

## Abstract

With the growing number of mobile applications, data analysis on large sets of historical moving objects trajectories becomes increasingly important. Nearest neighbor search is a fundamental problem in spatial and spatio-temporal databases. In this paper we consider the following problem: Given a set of moving object trajectories  $D$  and a query trajectory  $mq$ , find the  $k$  nearest neighbors to  $mq$  within  $D$  for any instant of time within the life time of  $mq$ . We assume  $D$  is indexed in a 3D-R-tree and employ a filter-and-refine strategy. The filter step traverses the index and creates a stream of so-called units (linear pieces of a trajectory) as a superset of the units required to build the result of the query. The refinement step processes an ordered stream of units and determines the pieces of units forming the precise result.

To support the filter step, for each node  $p$  of the index, in preprocessing a time dependent coverage function  $C_p(t)$  is computed which is the number of trajectories represented in  $p$  present at time  $t$ . Within the filter step, sophisticated data structures are used to keep track of the aggregated coverages of the nodes seen so far in the index traversal to enable pruning. Moreover, the R-tree index is built in a special way to obtain coverage functions that are effective for pruning. As a result, one obtains a highly efficient  $k$ -NN algorithm for moving data and query points that outperforms the two competing algorithms by a wide margin.

Implementations of the new algorithms and of the competing techniques are made available as well. Algorithms can be used in a system context including, for example, visualization and animation of results. Experiments of the paper can be easily checked or repeated, and new experiments be performed.

## 1 Introduction

Moving objects databases have been the subject of intensive research for more than a decade. They allow one to model in a database the movements of entities and to ask queries about such movements. For some applications only the time-dependent location is of interest; in other cases also the time dependent extent is relevant. Corresponding abstractions are a *moving point* or a *moving region*, respectively. Examples of moving points are cars, air planes, ships, mobile phone users, or animals; examples of moving regions are forest fires, the spread of epidemic diseases and so forth.

Some of the interest in this field is due to the wide-spread use of cheap devices that capture positions, e.g. by GPS, mobile phone tracking, or RFID technology. Nowadays not only car navigation systems, but also many mobile phones are equipped with GPS receivers, for example. Vast amounts of trajectory data, i.e., the result of tracking moving points, are accumulated daily and stored in database systems [13, 34, 28].

There are two kinds of such databases. The first kind, sometimes called a *tracking* database, represents a set of currently moving objects. One is interested in continuously maintaining the current

positions and to be able to ask queries about the positions as well as the expected positions in the near future. This approach was pioneered by the Wolfson group [36, 40]. With this approach, a cab company can find the nearest taxi to a passenger requesting transportation.

The other kind of moving objects database represents entire histories of movement [24, 16], e.g. the entire set of trips of the vehicles of a logistics company in the last day or even month or year. For moving points such historical databases are also called *trajectory* databases. The main interest is in performing complex queries and analyses of such past movements. For the logistics company this might result in improvements for the future scheduling of deliveries. For zoologists, the collected movement information of animals (equipped with a radio transmitter) can be used to analyse their behavior.

There has been a lot of interest in research to support such analyses, for example in data mining on large sets of trajectories [22], on discovering movement patterns such as flocks or convoys traveling together [23, 28], on finding similar trajectories to a given one [19], to name but a few. Of course, indexing and query processing techniques (see [29]) play a fundamental role in supporting such analyses.

In this paper we consider the problem of computing continuous nearest neighbor relationships on a historical trajectory database. Nearest neighbor queries are, besides range queries, the most fundamental query type in spatial databases. With the advent of moving objects databases, also time dependent versions have been studied. One can distinguish four types of queries:

- static query vs. static data objects (i.e., the classical nearest neighbor query)
- moving query vs. static data objects (e.g. maintain the five closest hotels for a traveller)
- static query vs. moving data objects (e.g. observe the closest ambulances to the site of an accident)
- moving query vs. moving data objects (e.g. which vehicles accompanied president Obama on his trip through Berlin)

Furthermore, one can consider these query types in a tracking database which leads to the notion of a continuous query, maintaining the result online while entities are moving. This is most interesting for consumer applications. But one can also consider these queries in the context of analysing historical trajectories which is the case studied in this paper.

Note that the last of the four query types is the most difficult and general one. It includes all other cases, as a static object can be represented as a moving object that stays in one place. We will handle this case.

The precise problem considered is the following. We call the data type representing a complete trajectory *moving point* or *mpoint*, for short [24, 16]. Let  $d(p, q)$  denote the Euclidean distance between points  $p$  and  $q$ . Let  $mp(i)$  denote the position of moving point  $mp$  at instant  $i$ .

**Definition 1** [TC $k$ NN-query] A *trajectory-based continuous  $k$ -nearest neighbor query* is defined as follows: Given a query *mpoint*  $mq$  and a relation  $D$  with an attribute  $mloc$  of type *mpoint*, return a subset  $D'$  of  $D$  where each tuple has an additional attribute  $mloc'$  such that the three conditions hold:

1. For each tuple  $t \in D'$ , there exists an instant of time  $i$  such that  $d(t.mloc(i), mq(i))$  is among the  $k$  smallest distances from the set  $\{d(u.mloc(i), mq(i)) | u \in D\}$ .
2.  $mloc'$  is defined only at the times condition (1) holds.
3.  $mloc'(i) = mloc(i)$  whenever it is defined.

□

In other words, the query selects a subset of tuples whose moving point belongs at some time to the  $k$  closest to the query point and it extends these by a restriction of the moving point to the times when it was one of the  $k$  closest.

This query type has been considered in the literature [18, 21] with a further parameter, a query time interval. However, our definition covers this case as well, since one can easily compute the restriction of the query trajectory to this time interval first.

An example of a  $TCkNN$  query is shown in Figure 1. To enable easy interpretation of the figure, we assume that all objects only change their  $x$ -coordinate and the  $y$ -coordinate is fixed to  $y_0$ .




Figure 1: Example of a  $TCkNN$  query

Besides the query object  $mq$ , there are five moving data objects  $\{o_1, \dots, o_5\}$ . We set  $k = 2$ , that means, we search for the two nearest neighbors. As shown in the figure, the result changes with time. For example, between  $t_0$  and  $t_1$ , the result is the set  $\{o_1, o_2\}$  and between  $t_1$  and  $t_2$ , the result changes to  $\{o_2, o_3\}$ .

$TCkNN$  queries on the one hand are natural from a systematic point of view as they are the dynamic version of a fundamental problem in spatial databases. They also have many applications, especially in discovering groups of entities traveling together with a query object. Some examples are mentioned in [18, 20]. Further, an efficient solution to this problem might be used as a stepping stone for solving data mining problems such as discovering flock or convoy patterns. Traffic jams are another example of groups of vehicles staying close to each other for extended periods of time.

So far, there exist two approaches for handling  $TCkNN$  queries [18, 20]. Both use R-tree like structures for indexing the data trajectories, i.e. in [18] a 3D-R-tree is used and in [20] a TB-tree [32] is utilized. They are discussed in more detail in Section 2.

Our contributions are the following:

- We offer the first filter-and-refine solution, in the form of two different algorithms and query processing operators, called *knearestfilter* and *knearest*. The first traverses an index to produce an ordered stream of candidate units (pieces of movement), the second consumes such an ordered stream. Both together offer a complete solution. However, *knearest* can also be used independently. This is important for queries that restrict candidate nearest neighbors by other conditions so that the index cannot be used.
- We offer a solution that employs novel and highly sophisticated pruning strategies in the filter step. A fundamental idea is to preprocess coverage functions for each node of the index that describe how many moving objects are present in the nodes subtree for any instant of time. This is supported by special techniques to build an R-tree and by efficient data structures and algorithms to keep track of pruning conditions.
- We provide a thorough experimental comparison which demonstrates that our algorithm is orders of magnitude faster than the two competing algorithms for larger databases and larger values of  $k$ .
- For the first time, such algorithms are made publicly available in a system context and so can be used for real applications. The `SECONDO` system is freely available for download. A new plugin

technology exists that makes it easy for readers of this paper to add a nearest neighbor module (plugin) to an existing `SECONDO` installation. All algorithms can then be used in the form of query processing operators; they can be applied to any data sets that are available in the system or that users provide; the results can easily be visualized and animated.

- We also provide scripts for test data generation and for the execution of experiments. In this way easy experimental repeatability is provided. Besides repeating the experiments shown in the paper, readers can change parameters, explore other data sets, build indexes in other ways, and hence study the behaviour of these algorithms in any way desired, with relatively little effort. Indeed, we would like to promote such a methodology for experimental research and view this paper and implementation as a demonstration of it.

The remainder of this paper is structured as follows. Section 2 surveys related work, especially the two algorithms solving the same problem as this paper. In Section 3 we briefly describe the representation of trajectories. Section 4 outlines the filter-and-refine strategy. After that, the filter step is described in detail in Section 5. First, we give an overview of the basic idea and expose arising subproblems. The next subsections show how these problems can be solved. Then, the refine step is presented in Section 6. The results of an experimental evaluation comparing our approach with both existing approaches are shown in Section 7. Section 8 explains how the algorithms can be used in the context of the `SECONDO` system and how experiments can be repeated. Finally, Section 9 concludes the paper and gives directions for future work.

## 2 Related Work

There are several types of  $k$ NN queries. The most simple case is that both the query point and the data points are static. The first algorithm for efficient nearest neighbor search on an R-tree was proposed by [35] using depth-first traversal and a branch-and-bound technique. An incremental algorithm was developed in [25]. Again, an R-tree is traversed. Here a priority queue of visited nodes ordered by distance to the query point is maintained. The incremental technique is essential if the number of objects needed is not known in advance, e.g. if candidates are to be filtered by further conditions. Because in this case all involved objects are static, also the result is a fixed set of objects.

The first algorithm for CNN (Continuous Nearest Neighbor) queries was proposed in [37]. It handles the case that only the query object is moving, while the data objects remain static. Here the basic idea is to issue a query at each sampled or observed position of a query point, trying to exploit some coherency between the location of the previous and the current query. This algorithm suffers from the usual problems of sampling. If there are too few sample points, the result may be inaccurate. On the other hand, many sampling points lead to an increase in computation time without any guarantee for a correct result.

An improved algorithm was proposed by [39]. Here an algorithm searches the R-tree only once to find the  $k$  nearest neighbors for all positions along a line segment, without the need of sampling points.

There exists a lot of work related to Continuous  $k$  Nearest Neighbor queries [38, 27, 33, 31, 42, 41, 9, 26]. In all these approaches tracking databases are assumed and the task is online maintenance of nearest neighbors for a moving query point, in some cases also for moving data points. For each of these objects only the current and near future position is known. Index structures like the TPR-tree are used [33, 9] which indexes current and near future positions; in some cases simple grid structures are employed to support high update rates [41, 42]. In [9] also reverse nearest neighbor queries are addressed. Iwerks et al. [27] also support updates of motion vectors.

Note that all this work is fundamentally different from the problem addressed in this paper because only the current motion vector is known. In contrast, we are considering historical trajectory databases. In this case, the data set is not only a vector for each moving object, but a complete trajectory, and there

is no need to process pieces of a trajectory in a particular order (e.g. in temporal update order). Instead, the set of trajectories can be organized and traversed in any way that is suitable.

A few works have considered the case of historical trajectory databases and we consider these next in some detail.

In [21], Gao et al. propose two algorithms for a query point and for a query trajectory, respectively, on a set of stored trajectories. In contrast to our algorithm, the result is static, i.e. they return the ids of the  $k$  trajectories which ever come closest to the query object during the whole query time interval. In contrast, our approach will report the  $k$  nearest neighbors at any instant for the lifetime of the query object.

In [18] several types of NN-queries on historical data are addressed. The types depend on whether the query object is moving or not and whether the query itself is continuous or not. One of the types corresponds to the TC $k$ NN query defined in Section 1. The authors represent trajectories as a set of line segments in 3D space (2D + time). The segments are indexed by an R-tree like structure (e.g. 3D R-Tree, TB-tree or STR-tree). The algorithm is formulated for the special case  $k = 1$  and then extended to arbitrary values of  $k$ . The nodes of the tree are traversed in depth first manner. If a leaf is reached, the contained line segments are inserted into a structure named *nearest* containing the distance curves between the already inserted segments and the segments coming from the query point. Entries whose minimal distance to the query object is greater than the maximal distance stored in *nearest* are ignored. Other segments are inserted extending existing entries if applicable. For a non-leaf node, all children are checked whether they can be pruned (minimal distance is larger than the maximal distance stored in *nearest* during the time interval covered by the node). For an arbitrary  $k$ , a buffer of  $k$  *nearest* structures is used.

In this paper we traverse the tree in breadth first manner. Besides the tree, we determine in preprocessing and store the time dependent number of data objects present in a node’s subtree<sup>1</sup>. This allows pruning nodes using only information of nodes at the same level of the tree reducing the number of nodes to be considered.

[20] extends the approach of [21] to continuous queries, hence, also to the TC $k$ NN problem. The entries stored in a TB-tree are inserted into a set of  $k$  lists  $l_1 \dots l_k$ . These lists contain distance functions with links to the corresponding units. For each instant the distance value in list  $l_i$  is smaller or equal to the distance value in list  $l_{i+1}$ . Thus, for each instant the list  $l_i$  contains the distance to the current  $i$ -th neighbor or  $\infty$  if no distance is stored for this instant. The maximum distance stored in a list  $l_i$  is called *Prunedist*( $i$ ). Thereby all objects whose minimum distance is greater than *Prunedist*( $k$ ) can be pruned. The main algorithm traverses a TB-tree in best first manner. A priority queue sorted by minimum distance contains non-processed nodes of the tree. The queue is initialized with the root of the tree. If the top element of the queue is a node, it is removed and its entries are inserted into the queue ignoring those non overlapping the query time interval and those with *minDist* > *Prunedist*( $k$ ). Unit entries are inserted into the set of lists. The process is finished when the minimum distance of the top entry of the queue is greater than *PruneDist*( $k$ ) or the queue is exhausted. So, pruning is based on disjoint time intervals or information from the trajectory entries. A more detailed description is given in Section 7.3.

In contrast, our approach allows pruning using also information of nodes on higher levels of the tree. Because the refinement step of our algorithm can be used separately, it is possible to combine it with other filter steps, for example if a query contains additional filter conditions.

### 3 Representation of Trajectories

Figure 2 shows the trajectories of two moving points in 3D space. We use the sliced representation [16] to represent the trajectory of a moving object. A trajectory  $T = \langle u_1, u_2, \dots, u_n \rangle$  is a sequence of so-called *units*. Each unit consists of a time interval and a description of a linear movement during this

---

<sup>1</sup>Actually, we use a simplified version of this moving integer.

time interval. The linear movement is defined by storing the positions at the start time and the end time of the unit. We denote a unit as  $u = (p_1, p_2, t_1, t_2)$ , where  $p_1, p_2 \in \mathbb{R}^2$  and  $t_1, t_2 \in \textit{instant}$ . Within a trajectory, time intervals of distinct units are disjoint. The sequence of units is ordered by time.

In the data model of [24, 16], a trajectory corresponds to a data type *moving(point)*, or *mpoint*. There is also a data type corresponding to a unit called *upoint*.




Figure 2: Two trajectories in space

A set of trajectories can be represented in a database in two ways. The first is to use a relation with an attribute of type *mpoint*. Hence each moving object is represented in a single tuple consisting of the trajectory together with other information about the object. This is called the *compact representation*.

Second, one can use a relation with an attribute of type *upoint*. In this case, a moving object is represented by a set of tuples, each containing one unit of the trajectory. The object is identified by a common identifier. This is called the *unit representation*.

In the following we assume that the set  $D$  of data trajectories is stored in unit representation, and the query trajectory is given as a value of the *mpoint* data type, i.e., a sequence of units.

## 4 Filter-and-Refine Strategy

We now describe our approach to evaluate a spatio-temporal  $k$ -nearest neighbor query. We assume a set of data moving points in unit representation, i.e., a relation  $R$  with an attribute *mloc* of type *upoint*. This relation is indexed by a spatio-temporal (3D) R-tree  $R\_mloc$  containing one entry for each unit. Further parameters are the query moving point  $mq$  of type *mpoint*, and the number  $k$  of nearest neighbors to be found. We use the well-known filter-and-refine strategy with the two steps:

**Filter** Traverse the R-tree index  $R\_mloc$  to determine a set of candidate units containing at least all parts of the moving points of  $R$  that may contribute to the  $k$  nearest neighbors of  $mq$ . Return these as a stream of units ordered by unit start time.

**Refine** Process a stream of units ordered by start time to determine the precise set of units forming the  $k$  nearest neighbors of  $mq$ .

These two steps are explained in detail in the following two sections.

## 5 The Filter Step: Searching for Candidate Units

### 5.1 Basic Idea: Pruning by Nodes with Large Coverage

Obviously the goal of the filter step must be to access as few nodes as possible in the traversal of the index  $R\_mloc$ .

We proceed as follows. Starting from the root, the index is traversed in a breadth-first manner. Whenever a node is accessed, each of its entries (node of the next level or unit entry in a leaf) is added to a queue  $Q$  and to a data structure *Cover* explained below. The *Cover* structure is used to decide whether a node or unit entry can be pruned. The entries in *Cover* and  $Q$  are linked so that an entry found to be

prunable can be efficiently removed from  $Q$ . The question is by what criterion a node can be pruned. Consider a node  $N$  that is accessed and the query trajectory  $mq$ . See the illustration in Figure 3.




Figure 3: Nodes and query trajectory  $mq$

Node  $N$  contains a set of unit entries representing trajectories. In fact, each segment of a trajectory is represented as a small 3D box, but we have nevertheless drawn the trajectories directly. Furthermore, node  $N$  looks like a leaf node. However, if it is an inner node of the R-tree, we may still consider the set of units or trajectories represented in the entire subtree rooted in  $N$  in the same way.

Suppose that at any instant of time within node  $N$ 's time interval  $[N.t_1, N.t_2]$  at least  $n$  trajectories are present in  $N$  and  $n \geq k$ . Let  $M$  be a further node and  $M$ 's time interval be included in  $N$ 's time interval. Furthermore let the minimal distance between the  $xy$ -projection of  $M$  and the  $xy$ -projection of  $mq$  (restricted to  $[M.t_1, M.t_2]$ ) be larger than the maximal distance between the  $xy$ -projection of  $N$  and the  $xy$ -projection of  $mq$  (restricted to  $[N.t_1, N.t_2]$ ). Then node  $M$  and its contents can be pruned as they cannot contribute to the  $k$  nearest neighbors of  $mq$ . This is illustrated in Figure 4.




Figure 4: Pruning criterion of Lemma 1,  $k = 5$

More formally, for a node  $K$  let  $box(K)$  denote its spatiotemporal bounding box, i.e., the rectangle  $[K.x_1, K.x_2, K.y_1, K.y_2, K.t_1, K.t_2]$ . For a trajectory  $u$  let  $box(u)$  denote its spatiotemporal bounding box and let  $u[t_1, t_2]$  denote its restriction to the time interval  $[t_1, t_2]$ . For a 3D rectangle  $B = [x_1, x_2, y_1, y_2, t_1, t_2]$  let  $B_{xy}$  denote its spatial projection  $[x_1, x_2, y_1, y_2]$  and  $B_t$  denote its temporal projection  $[t_1, t_2]$ , respectively. For a node  $K$ , let  $C_K(t)$  denote the number of trajectories represented in the subtree rooted at  $K$  present at instant  $t$ .  $C_K(t)$  is a function from time into integer values, called the *coverage function*. Let  $C(K) = \min_{t \in [K.t_1, K.t_2]} C_K(t)$  be called the (minimal) *coverage number* of  $K$ . For a (hyper-) rectangle  $r$  in a  $d$ -dimensional space  $\mathbb{R}^d$  let  $points(r)$  denote all enclosed points of  $\mathbb{R}^d$ , i.e.,

$$points(r) = \{(x_1, \dots, x_d) \mid r.b_1 \leq x_1 \leq r.t_1, \dots, r.b_d \leq x_d \leq r.t_d\}$$

where  $r.b_i$  and  $r.t_i$  denote the bottom and top coordinates of  $r$  in dimension  $i$ , respectively. For two



rectangles  $r$  and  $s$  their minimal and maximal distances are defined as

$$\text{mindist}(r, s) = \min\{d(p, q) | p \in \text{points}(r), q \in \text{points}(s)\}$$

$$\text{maxdist}(r, s) = \max\{d(p, q) | p \in \text{points}(r), q \in \text{points}(s)\}$$

where  $d(p, q)$  denotes the Euclidean distance between two points  $p$  and  $q$ . Then we can formulate the pruning condition as follows.

**Lemma 1** *Let  $M$  and  $N$  be nodes of the R-tree  $R\_mloc$ ,  $mq$  the query trajectory, and  $k$  the number of nearest neighbors desired. Then*

$$\begin{aligned} & C(N) \geq k \\ \wedge & \text{box}_t(M) \subseteq \text{box}_t(N) \\ \wedge & \text{mindist}(\text{box}_{xy}(M), \text{box}_{xy}(mq[\text{box}_t(M)])) > \\ & \text{maxdist}(\text{box}_{xy}(N), \text{box}_{xy}(mq[\text{box}_t(N)])) \\ \Rightarrow & M \text{ can be pruned.} \end{aligned}$$

More generally, several nodes together may serve to prune another node  $M$  if for any instant of time within  $M$ 's time interval the sum of their coverages exceeds  $k$  and they are all closer to the query trajectory.

**Lemma 2** *Let  $S$  be a set of nodes of the R-tree  $R\_mloc$ ,  $S(t) = \{s \in S | t \in \text{box}_t(s)\}$  the nodes of  $S$  present at time  $t$ , and  $M \notin S$  another node. Let  $mq$  be the query trajectory, and  $k$  the number of nearest neighbors desired.*

$$\begin{aligned} & \forall t \in \text{box}_t(M) : \sum_{s \in S(t)} C(s) \geq k \\ \wedge & (\forall s \in S : \text{mindist}(\text{box}_{xy}(M), \text{box}_{xy}(mq[\text{box}_t(M)])) > \\ & \text{maxdist}(\text{box}_{xy}(s), \text{box}_{xy}(mq[\text{box}_t(s)]))) \\ \Rightarrow & M \text{ can be pruned.} \end{aligned}$$

To realize this pruning strategy, the following subproblems need to be solved:

- Efficiently determine the xy-projection bounding box of a restriction of the query trajectory to a time interval.
- Determine coverage numbers for the nodes of the R-tree index.
- Define the Cover data structure needed for pruning and provide an efficient implementation.

These subproblems are addressed in the following subsections. After that, the complete filter algorithm is described.

## 5.2 Determining the Spatial Bounding Box for a Partial Query Trajectory

As mentioned in Section 3, the query trajectory is represented basically as an array of units with distinct time intervals, ordered by time. A simple approach to compute the bounding box for the restriction to some time interval (called the restriction bounding box) is to search the unit containing the start time of the interval using a binary search. For the (sub-) unit the bounding box is computed. Then the sequence of units is scanned until the end of the interval is reached. The union of the bounding boxes of all visited units yields the final result. Here the union of two rectangles is defined as the smallest enclosing rectangle of the two arguments. If the interval is long, a lot of units must be processed. For example, if the time interval covers the lifetime of the query trajectory, all units have to be visited.

To enable efficient computation of a restriction bounding box we compute at the beginning of the filter step an alternative representation of the query trajectory, called a *BB-tree (bounding box tree)*.

Essentially it is a binary tree over the sequence of units of the trajectory such that the units are the leaves of the tree. Each node has an associated time interval. For a leaf this is the unit time interval, for an internal node it is the concatenation of the time intervals of the two children. Furthermore, each node  $p$  has an associated rectangle which is the spatial projection bounding box of the set of units represented in the subtree rooted in  $p$ . An example of a BB-tree is shown in Figure 5.




Figure 5: BB-tree

For computing the bounding box for a given time interval, we apply the following algorithm to the root of the tree:

---

**Algorithm 1:**  $get\_box(n, t_1, t_2)$

---

**Input:**  $n$  - node of a bbox-tree;  
 $[t_1, t_2]$  - a time interval.

**Output:** the bounding box of the query trajectory, restricted to  $[t_1, t_2]$

- 1 **if**  $t_1 > n.t_2 \vee t_2 < n.t_1$  **then return** an empty box;
  - 2 **if**  $t_1 \leq n.t_1 \wedge t_2 \geq n.t_2$  **then return**  $n.r$  ;
  - 3 **if**  $n$  is an inner node **then**
  - 4     **return**  $get\_box(n.left) \cup get\_box(n.right)$  ;
  - 5 **else**
  - 6     let  $u$  be a copy of  $n.u$ ;
  - 7     restrict  $u$  to  $[t_1, t_2]$ ;
  - 8     **return**  $bbox(u)$ ;
- 

We use the notations  $n.t_1$ ,  $n.t_2$ ,  $n.r$ , and  $n.u$  to access the start instant, the end instant, the rectangle, and the unit, respectively. Furthermore, we use  $n.left$  and  $n.right$  to get the sons of  $n$ .

The structure is closely related to a segment tree [14] that we will also use in Section 5.4. The algorithm  $get\_box$  is quite similar to the algorithm for inserting an interval into a segment tree. It is well known that the time complexity is  $O(\log n)$  where  $n$  is the number of leaves of the tree (units of the query trajectory). The BB-tree can be built in linear time.

### 5.3 3D R-tree and Coverage Number

#### 5.3.1 Coverage Numbers

If all units of the data trajectories are stored within a 3D R-tree, we can compute for each node  $n$  of the tree its coverage function  $C_n(t)$ , a time dependent integer. Recall that  $C_n(t)$  is the number of units present at instant  $t$  within the subtree rooted in  $n$ . An example of the distribution of units within a node and the resulting coverage curve are shown in Figure 6.

In Section 5.1 we have seen that for pruning only one number  $C(n)$ , the minimal coverage number, is used. This would be 1 in Figure 6. Now it is easy to see that due to boundary effects only a small number




Figure 6: Coverage Function

of units will be present at the beginning or end of a node’s time interval. Hence if we use simply the minimum of the coverage function, no good pruning effect can be achieved. On the other hand, within a reduced time interval, e.g. from  $t_1$  to  $t_5$ , a large minimal coverage could be observed.

The idea is therefore to use instead of one coverage number three of them, by splitting a node’s time interval into three parts, namely two small parts at the beginning and end with small coverage numbers, and a large part in the middle with a large coverage number. In Figure 6 we could use  $([t_0, t_1], 1)$ ,  $([t_1, t_5], 5)$ ,  $([t_5, t_6], 2)$ .

We introduce an operator to compute from the coverage function the three numbers, called the *hat* operator (because the shape of the curve reminds of a hat). Technically it takes an argument  $c$  of type moving integer or *mint*, describing the coverage function, and returns an *mint*  $r$  with the following properties:

- $deftime(r) = deftime(c)$
- $\forall t \in deftime(r) : r(t) \leq c(t)$
- $r$  consists of three units at most
- the area under curve  $r$  is the maximum of all possible areas fulfilling the first three conditions

An application of the *hat* operator is shown in Figure 7.




Figure 7: Application of the *hat* operator

Intuitively it is good for pruning if a large coverage number is obtained over a long time interval. The goal is therefore to maximize the area of the “middle” unit of the result which is the product of these quantities. Using a stack, the simplification of the curve can be done in linear time with respect to the

---

**Algorithm 2:**  $\hat{c}(c)$ 

---

**Input:**  $c$  - an mint (moving integer) describing a coverage function

**Output:** a reduced mint with only three units

```
1 let  $s$  be a stack of pairs  $\langle t, n \rangle$ , initially empty;
2 let int  $area = 0$ ;
3 extend  $c$  by a pseudo unit  $\langle [c.t_2, c.t_2 + 1], 0 \rangle$ ;
  /* ensures that all entries are popped from stack at the end */
4 for each unit  $u$  in  $c$  do
5   if  $s$  is empty then  $s.push(\langle u.t_1, u.n \rangle)$  else
6     if  $s.top().n < u.n$  then  $s.push(\langle u.t_1, u.n \rangle)$  else
7        $t_{end} = u.t_1$ ;
8       while  $s.top().n > u.n$  do
9          $\langle t_{start}, cn \rangle = s.top()$ ;  $s.pop()$ ;
10        if  $area == 0$  then
11           $area = (t_{end} - t_{start}) \times cn$ ;
12           $\langle t_1, t_2, n \rangle = \langle t_{start}, t_{end}, cn \rangle$ ;
13        else
14           $newarea = (t_{end} - t_{start}) \times cn$ ;
15          if  $newarea > area$  then
16             $area = newarea$ ;
17             $\langle t_1, t_2, n \rangle = \langle t_{start}, t_{end}, cn \rangle$ ;
18         $s.push(\langle t_{start}, u.n \rangle)$ 
19 Now the middle unit is  $\langle t_1, t_2, n \rangle$ . Scan the units before  $t_1$  and after  $t_2$  to compute the minimal
  coverages  $first$  and  $last$  for the time intervals  $[c.t_1, t_1]$  and  $[t_2, c.t_2]$ , respectively;
20 return the mint consisting of the three units  $([c.t_1, t_1], first)$ ,  $([t_1, t_2], n)$ , and  $([t_2, c.t_2], last)$ ;
```

---

number of units of the original moving integer. This is shown in Algorithm 2. Here  $c.t_1$  and  $c.t_2$  denote the start and end of the definition time of moving int  $c$ .

The idea of this algorithm is to process the units of the given coverage curve in temporal order and to maintain on a stack a sequence of units with monotonically increasing coverage values. When a unit is encountered that reduces the current coverage, then the potential candidates for middle units ending at this point are examined by taking them from the stack. The largest rectangle seen so far is maintained. This is illustrated in Figure 8.




Figure 8: Stack maintained in Algorithm 2

In Figure 8, when unit  $u$  is encountered, the last three stack entries  $a$ ,  $b$ , and  $c$  with higher coverage values than that of  $u$  are popped from the stack, and for each of them the size of the respective rectangle is computed. Start time, end time, and coverage of the largest rectangle so far are kept.

### 5.3.2 Building the R-tree

This section describes how an R-tree over the data point units can be built, which will support  $k$ -NN queries in an efficient way. A node of the R-tree can be pruned if

- there are enough candidates available in other nodes, and
- the minimum distance of the node to the query point is higher than the maximum distance of the query point to each node in the current candidate set.

The first condition can be achieved with a small set of candidate nodes if the coverage numbers are high. The second condition requires a good spatial distribution of the nodes of the R-tree.

Experiments have shown that if we fill the R-tree either by the standard insertion algorithm or by a bulkload [11, 12] using z-order [30], for example, only the spatial distribution of the nodes will be good. But the coverage numbers will be very small and a large candidate set is required.

However, by using a customized bulkload algorithm for filling the R-tree, we can achieve some control over the distribution of the R-tree nodes. The bulkload works as follows: It receives a stream of entries (bounding box and a tuple id) and puts them into a leaf of the R-tree until either the leaf is full or the distance between the new box and the current bounding box of the leaf exceeds a threshold. When this happens, the leaf is inserted into a current node at the next higher level and a new leaf is started. In this way, the tree is built bottom-up.

This bulkload algorithm itself does not care about the order of the stream. So by changing the order, the structure of the R-tree is affected. For example, if we sort the units by their starting time, temporally overlapping units are inserted into the same node and the coverage number is very high. But this order ignores spatial properties and so the nodes will have many and large overlappings in the  $xy$ -space.

To get both, high coverage numbers and good spatial distribution, we do the following. We partition the 3D space occupied by the units into cells, using a regular grid. The spatial partition (or cell size) is chosen in such a way that within a cell, at each instant of time, on the average about  $p$  units are present. Then the temporal partition is chosen such that within a cell enough units are present to fill on the average about  $r$  nodes of the R-tree. A stream of units to be indexed is extended by three integer indices  $x, y, t$  representing a spatiotemporal cell containing the unit<sup>2</sup>, hence has the form  $\langle unit, tupleid, x, y, t \rangle$ . The stream is then sorted lexicographically by the four attributes  $\langle t, x, y, unit \rangle$  where the order implied by the fourth attribute is unit start time. In this way, a subsequence of units belonging into one cell is formed and these are ordered by start time. Such subsequences are packed by the bulkload into about  $r$  nodes of the R-tree, resulting in nice hat shapes as desired in Section 5.3.1.

We do not yet have a deep theory for the choice of numbers  $p$  and  $r$ . In our experiments,  $p = 15$  and  $r = 6$  have worked quite well.

## 5.4 Keeping Track of Node Covers

In this section we describe the data structure *Cover* used to control the pruning of nodes or unit entries. Suppose a node  $N$  of the R-tree is accessed, its coverage number<sup>3</sup> is  $n = 8$ , and its minimal and maximal distance to the query trajectory, restricted by  $N$ 's time interval, are  $d_1$  and  $d_2$ , respectively. Assume a further node  $M$  is accessed whose minimal distance is  $d_3$ . This can be represented in a 2D diagram as shown in Figure 9. The edge for the minimal distance of node  $N$  is called the lower bound, denoted  $N-$  and drawn thin, the edge for the maximal distance is called the upper bound, denoted  $N+$  and drawn fat. As discussed before, if  $k \leq 8$ ,  $M$  can be pruned.

The idea is to maintain a data structure *Cover* representing this diagram during the traversal of the R-tree. Whenever a node is accessed, its lower bound is used as a query to check whether this node

---

<sup>2</sup>containing one of its corner points, for example

<sup>3</sup>In this section, for simplicity we assume a node has a single coverage number instead of the three coverages computed by the *hat* operator. The modification to deal with three numbers is straightforward.




Figure 9: Representing node coverages, one node




Figure 10: Representing node coverages, many nodes

can be pruned. If it cannot be pruned, its lower and upper bounds are entered into *Cover*, and its upper bound is also used to prune other entries from *Cover*.

An upper or lower bound is represented as a tuple  $b = ([t_1, t_2], d, c, lower)$  where  $[t_1, t_2]$  is the time interval,  $d$  the distance,  $c$  the coverage, and *lower* a boolean flag indicating whether this is the lower bound. We also denote the coverage as  $C(b) = b.c$ .

Whereas Figure 9 represents the pruning criterion of Lemma 1, the general situation of Lemma 2 is shown in Figure 10.

When node  $M$  is accessed, first a query with the rectangle below its lower bound  $M-$  is executed on *Cover* to retrieve the upper bounds intersected by it. The set of upper bounds  $U$  found is scanned in temporal order, keeping track of aggregated coverage numbers, to determine whether  $M$  can be pruned. Let  $C_{min}$  be the minimal aggregate coverage of bounds in  $U$ . If  $k \leq C_{min}$ ,  $M$  can be pruned. If  $M$  cannot be pruned, it is inserted into *Cover*. If  $k \leq C(M) + C_{min}$ , a second query with the rectangle above the upper bound  $M+$  is executed, retrieving the lower bounds contained in it. All nodes to which these lower bounds belong, are pruned.

From this analysis, we extract the following requirements for an efficient implementation of the data structure *Cover*:

1. It represents a set of horizontal line segments in two-dimensional space.
2. It supports insertions and deletions of line segments.
3. It supports a query with a point  $p$  to find all segments below  $p$ .
4. It supports a query with a line segment  $l$  to find all left or right end points of segments below  $l$  or above  $l$  (pruning lower bounds above  $M+$ ).

Two available main memory data structures that fulfill related requirements are a segment tree [14] and a standard binary search tree. The segment tree

- represents a set of intervals
- supports insertion and deletion of an interval
- supports a query with a coordinate <sup>4</sup>  $p$  to find all intervals containing  $p$ .

The binary search tree

---

<sup>4</sup>We call a single value from a one-dimensional domain a coordinate.




Figure 11: The *Cover* structure, a modified segment tree

- represents a set of coordinates (start and end instants of time intervals, in this case).
- supports insertion and deletion of coordinates.
- supports range queries, i.e., queries with an interval to find all enclosed coordinates.

We might use these two data structures separately to implement *Cover*, but instead we employ a slightly modified version of the segment tree that merges both structures into one. Such a structure is shown in Figure 11.

The segment tree is a hierarchical partitioning of the one-dimensional space. Each node has an associated node interval (drawn in Figure 11); for an internal node this is equal to the concatenation of the node intervals of its two children. A segment tree represents a set of (data) intervals. An interval is stored in a segment tree by *marking* all nodes whose node intervals it covers completely, in such a way that only the highest level nodes are marked (i.e., if both children of a node could be marked then instead the father is marked). Marking is done by entering an identifier of (pointer to) the interval into a node list. For example, in Figure 11 interval *B* is stored by marking two nodes. It is well-known that an interval can only create up to two entries per level of the tree, hence a balanced tree with  $N$  leaves storing  $n$  intervals requires  $O(N + n \log N)$  space. A coordinate query to find the enclosing intervals follows a path from the root to the leaf containing the coordinate and reports the intervals in the node lists encountered. This takes  $O(\log N + t)$  time where  $t$  is the number of answers. For example, in Figure 11 a query with coordinate  $p$  follows the path to  $p$  and reports *A* and *B*.

The segment tree is usually described as a semi-dynamic structure where the hierarchical partitioning is created in advance and then intervals are inserted or deleted just by changing node lists. We use it here as a fully dynamic structure by first modifying the structure to accommodate new end points and then marking nodes. When new end points are added, they are also stored in further node lists *node.startlist* and *node.endlist* (besides the standard list for marking, *node.list*). In Figure 11 entries for end points are shown as lower case letters. The thin lines in Figure 11 show the structure after insertion of intervals *A* and *B*. The fat lines show the modification due to the subsequent insertion of interval *C*. The structure now also supports range queries for end points, like a binary search tree. If the tree is balanced, the time required for a range query is  $O(\log N + t)$  for  $t$  answers.

In our implementation we use an unbalanced tree which is very easy to implement. The unbalanced structure does not offer worst case guarantees but behaves quite well in practice, as will be shown in the experiments.

The interface to the *Cover* structure is provided by the four methods:

- *insert\_entry(ce)*. *ce* is a cover entry, defined below. Inserts it by its time interval.
- *delete\_entry(ce)*. Deletes entry *ce* from the node lists (but does not shrink the structure).
- *point\_query(n, t)*,  $n$  a node,  $t$  an instant of time. Returns all entries whose time interval contains  $t$ .

- *range\_query*( $n, t_1, t_2$ ).  $n$  is a node,  $[t_1, t_2]$  - a time interval. Returns a list of pairs of the form  $\langle which, ce \rangle$  where  $which \in \{bottom, top\}$ ,  $ce$  a cover entry (bottom indicates a start time, top an end time). The list contains only entries whose start or end time lies within  $[t_1, t_2]$ , in temporal order w.r.t their start or end time.

The algorithms for these operations can be found in the Appendix.

## 5.5 The Filter Algorithm

We are now able to describe the filter algorithm, called *knearestfilter*, precisely. It uses subalgorithms *node\_entry* and *unit\_entry* to create entries for the *Cover* structure. It further employs a method *insert\_and\_prune* of the *Cover* structure with its subalgorithms *mincover* and *prune\_above*. These algorithms are shown on the next pages (Algorithms 3 through 8).

---

### Algorithm 3: *knearestfilter*( $R, R\_mloc, Cov, Cov\_nid, mq, k$ )

---

**Input:**  $R$  - a relation with moving points in unit representation, i.e., with an attribute *mloc* of type *upoint*;  $R\_mloc$  - a 3D R-tree index on attribute *mloc* of  $R$ ;  $Cov$  - a relation containing coverage numbers for each node of the R-tree  $R\_mloc$ ;  $Cov\_nid$  - a B-tree index on the *nid* attribute of  $Cov$  representing the node identifier of the R-tree;  $mq$  - a query trajectory of type *mpoint*;  $k$  - the number of nearest neighbors to be found.

**Output:** an ordered set of candidate units, ordered by unit start time, containing all parts of the  $k$  moving points of  $R$  closest to  $mq$ ;

- 1 let  $Q$  be a queue of nodes of the R-tree, initially empty; (To be precise,  $Q$  contains pairs of the form  $\langle node, coverptr \rangle$  where  $node$  is a node of the R-tree and  $coverptr$  is a pointer into the Cover data structure.
  - 2 let  $Cover$  be the Cover structure, initialized with  $node(-\infty, +\infty)$ ;
  - 3 let  $mqbb$  be a BB-tree representing  $mq$ ;
  - 4 node  $r = R\_mloc.root()$ ;
  - 5  $Q.enqueue(\langle r, null \rangle)$ ;
  - 6 **while**  $Q$  is not empty **do**
    - 7  $\langle r, coverptr \rangle = Q.dequeue()$ ;
    - 8 **if**  $coverptr \neq null$  **then**  $Cover.delete\_entry(coverptr)$ ;
    - 9 **for** each entry  $c$  of  $r$  **do**
      - 10 **if**  $r$  is an inner node **then**  $ce = node\_entry(c, mqbb, Cov, Cov\_nid)$ ;
      - 11 **else**  $ce = unit\_entry(u, mqbb)$ ;
      - 12  $Cover.insert\_and\_prune(ce, k, Q, c)$ ;
  - 13  $S = Cover.range\_query(Cover.root(), -\infty, +\infty)$ ;
  - 14  $Cand = \emptyset$ ;
  - 15 **for** each  $\langle which, s \rangle \in S$  **do**
    - 16 **if**  $which = bottom$  **then**  $Cand.append(s)$ ;
  - 17 **return**  $Cand$ ;
- 

## 6 Refinement

The problem to be solved in the refinement step is to compute for a sequence of units, arriving temporally ordered by start time, a sequence of units (that may be equal to an input unit or a part of it) that together form the  $k$  nearest neighbors over time. For each arriving unit, its time dependent distance function to the query trajectory is computed. Depending on whether the unit overlaps one or more units of the query



---

**Algorithm 4:** *node\_entry(n, mqbb, Cov, Cov\_nid)*

---

**Input:**  $n$  - a node of the R-tree;  $mqbb$  - the query trajectory represented as a BB-tree;  $Cov$  - a relation containing coverage numbers for nodes of the R-tree;  $Cov\_nid$  - a B-tree index on node identifiers of  $Cov$ .

**Output:** an entry for the Cover data structure, of the form  $\langle [t_1, t_2], mindist, maxdist, cn, nodeid, tid, queueptr, refs \rangle$ .

```
1  $[t_1, t_2] = box_t(n)$ ;  
2 let  $box = mqbb.getBox(mqbb.root(), t_1, t_2)$ ;  
3  $mindist = mindist(box_{xy}(n), box)$ ;  
4  $maxdist = maxdist(box_{xy}(n), box)$ ;  
5  $cn = getcover(n.id, Cov, Cov\_nid)$ ;  
6 return new entry  $\langle [t_1, t_2], mindist, maxdist, cn, n.id, \perp, null, \emptyset \rangle$ ;
```

---

---

**Algorithm 5:** *unit\_entry(n, mqbb)*

---

**Input:**  $u$  - a unit entry from a leaf of the R-tree;  $mqbb$  - the query trajectory represented as a BB-tree.

**Output:** an entry for the Cover data structure, of the form  $\langle [t_1, t_2], mindist, maxdist, cn, nodeid, tid, queueptr, refs \rangle$ .

```
1  $[t_1, t_2] = box_t(n)$ ;  
2 let  $box = mqbb.getBox(mqbb.root(), t_1, t_2)$ ;  
3  $mindist = mindist(box_{xy}(n), box)$ ;  
4  $maxdist = maxdist(box_{xy}(n), box)$ ;  
5 return new entry  $\langle [t_1, t_2], mindist, maxdist, 1, \perp, u.tid, null, \emptyset \rangle$ ;
```

---

trajectory, the distance function may consist of several pieces with different definition. It is well-known (see e.g. [16]) that the distance between two moving point units with the same time interval is in general the square root of a quadratic polynomial.

The problem is to compute the intersections of a set of distance curves to determine the lowest  $k$  curves, and to return the parts of units corresponding to these pieces. This is illustrated in Figure 12 where the units corresponding to the two lowest of three distance curves are to be returned.

The intersections of the distance curves can be found efficiently by slightly modifying the standard plane sweep algorithm for finding intersections of line segments by Bentley and Ottmann [10]. The basic idea of that algorithm is to maintain the sequence of line segments (curves in our case) intersecting the sweep line. Encountering the left end of a curve (within the sweep event structure ordered by  $t$ -coordinates), it is inserted into the sweep status structure, checking the two neighboring curves for

---

**Algorithm 6:** *insert\_and\_prune(ce, k, Q, c)*

---

**Input:**  $ce$  - a cover entry of the form  $\langle [t_1, t_2], mindist, maxdist, cn, nodeid, tid, queueptr, refs \rangle$ ;  $k$  - the number of nearest neighbors to be found;  $Q$  - a queue of nodes;  $c$  - a node or unit entry.

**Output:** none

```
1 int  $mc = mincover(ce)$ ;  
2 if  $mc < k$  then  
3    $insert\_entry(ce)$ ;  
4   if  $c$  is a node then  $ce.queueptr = Q.enqueue(\langle c, ce \rangle)$ ;  
5   if  $mc + ce.cn \geq k$  then  $prune\_above(ce, Q)$ ;
```

---

---


**Algorithm 7:** *mincover(ce)*

---

**Input:**  $ce$  - a cover entry**Output:**  $C_{min}$ , the minimal aggregate coverage below the lower bound of  $ce$ .

```
1 let  $root = this.root()$ ;  
2 let  $S_1 = point\_query(root, ce.t_1)$ ;  
3 int  $c = 0$ ;  
4 for each  $s \in S_1$  do  
5   if  $s.maxdist < ce.mindist$  then  $c = c + s.cn$ ;  
6  $C_{min} = c$ ;  
7 let  $S_2 = range\_query(root, ce.t_1, ce.t_2)$ ;  
8 for each  $\langle which, s \rangle \in S_2$  do  
9   if  $s.maxdist < ce.mindist$  then  
10    if  $which = bottom$  then  $c = c + s.cn$ ;  
11    else  
12      $c = c - s.cn$  ;  
13     if  $c < C_{min}$  then  $C_{min} = c$ ;  
14 return  $C_{min}$ ;
```

---

Figure 12: Computing the lowest  $k$  distance curves

possible intersections. Any intersections found are entered into the event queue of the sweep for further processing. Encountering the right end of a curve, it is removed from the sweep status structure, checking the two curves above and below for intersection. Encountering an intersection found previously, the two intersecting curves are swapped, and the two new pairs of curves becoming neighbors are checked for intersections. For the sweep status structure, a balanced tree can be used. Whereas computing the intersections of two quadratic polynomials (which can be used directly instead of the square roots) is slightly more difficult than finding the intersection of two line segments, the basic strategy of the algorithm [10] works equally well here.

Because units arrive in temporal order, one can scan in parallel the sequence of incoming units, the priority queue of upcoming events, and the query trajectory  $mq$ . The time interval of an incoming unit  $u$  is either enclosed in the time interval of the current unit  $mu$  of  $mq$  or extends beyond it. If it is enclosed, an event for deleting this distance curve from the sweep status structure at the end time  $u.t_2$  is created. If the time interval extends beyond that of  $mu$ , the distance curve is computed until  $mu.t_2$  and two events for deleting the curve at time  $mu.t_2$  and for handling the remaining part of  $u$  are created.

Since the focus of this paper is on the filter step, and the refinement step is relatively straightforward, we omit further details here.

---

**Algorithm 8:** *prune\_above*(*ce*, *Q*)

---

**Input:** *ce* - a cover entry;

*Q* - a queue of nodes.

**Output:** none

```
1 let root = this.root();
2 let S = range_query(root, ce.t1, ce.t2);
3 let ht be a hashtable, initially empty;
4 for each <which, s> ∈ S do
5   if s.mindist > ce.maxdist then
6     if which = bottom then ht.insert(s);
7     else
8       if ht.lookup(s) then
9         delete_entry(s);
10        if s.queueptr ≠ null then Q.dequeue(s.queueptr);
```

---

## 7 Experimental Evaluation

In this section, we first describe the data sets used for an experimental evaluation of our approach. We then consider some properties of the proposed algorithm, namely selection of grid sizes, the time required to compute coverage numbers in preprocessing, and the effectiveness of the filter step. We explain the implementation of the algorithms HCNN and HCT $k$ NN [18, 20]. The three algorithms are then compared varying the size of the data set, the parameter  $k$ , and the query time interval. A further evaluation on very long trajectories completes the experiments.

For the experiments a standard PC (AMD Athlon XP 2800+CPU, 1GB memory, 60GB disk) running SUSE Linux (kernel version 2.6.18) is used. All algorithms were implemented within the extensible database system SECONDO [8].

### 7.1 Data Sets

In the performance study, we use three different data sets. One of them contains real data obtained from the R-tree Portal [3]. Here, 276 trucks in the Athens metropolitan area are observed. We call this data set *Trucks*. It was also used in earlier experiments in [18, 20].

The second data set simulates underground trains in Berlin. In the basic version it contains 562 trips of trains. We will enlarge this data set by a scale factor  $n^2$  by making  $n^2$  copies of each trip, translating the geometry  $n$  times in  $x$  and  $n$  times in  $y$ -direction. We call the original data set *Trains* and derived data sets *Trains*  $n^2$ .

The third data set – called *Cars* – is a simulation of 2,000 cars moving on one day in Berlin. This was obtained from the BerlinMOD Benchmark [1, 15].

From each data set, 10 query objects are selected. In later experiments, the running time and number of page accesses of a query is measured as the average over 10 queries using these different objects.

Table 1 lists detailed information about the data sets.

### 7.2 Properties of Our Approach

#### 7.2.1 Grid Sizes

Grid sizes for our approach are determined as described in Section 5.3.2. For the original *Trains* data set this results in a 3 x 3 spatial grid (of which in fact only 3 x 2 cells contain data) and a temporal partition

Name	No. of Objects	No. of Units	X-Range Y Range	average lifetime of an object
<i>Trucks</i>	276	111,922	[0, 44541.6] [0, 53956.7]	10 hours
<i>Cars</i>	2,000	2,274,218	[-10836, 32842] [-6686, 28054]	24 hours
<i>Trains</i>	562	51,444	[-3560, 25965] [1252, 21018]	1 hour
<i>Trains9</i>	5,058	462,996	[26440, 115965] [31252, 111018]	1 hour
<i>Trains25</i>	14,050	1,286,100	[26440, 175965] [31252, 171018]	1 hour
<i>Trains64</i>	35,968	3,292,416	[26440, 265965] [31252, 261018]	1 hour
<i>Trains100</i>	56,200	5,144,400	[26440, 325965] [31252, 321018]	1 hour

Table 1: Statistics of Data Sets

of size 5 minutes. Using the same cell size everywhere, the scaled versions *Trains*  $n^2$  in fact employ grids of size  $(3n)^2$ . A detailed calculation is given in Appendix C.

For the *Cars* data set by similar considerations a spatial grid of size 12 x 12 is determined and a temporal partition of 30 minutes.

The *Trucks* data set is small in comparison. In this case we have not bothered to impose a grid but simply built the R-tree by bulkload on a temporally ordered stream of units. This is good enough. The temporal ordering in any case creates good coverage curves.

## 7.2.2 Computing the Coverage Number

This section investigates the time needed to compute the coverage numbers depending on the number of nodes of the R-tree. For this experiment, we have used scaled versions of the *Trains* data set. Table 2 shows the numbers of nodes for the different data sets.

data set	no. of units	no. of nodes
<i>Trains</i>	51,444	847
<i>Trains9</i>	462,996	7,701
<i>Trains25</i>	1,286,100	21,437
<i>Trains64</i>	3,292,416	54,986
<i>Trains100</i>	5,144,400	85,895

Table 2: Numbers of R-tree Nodes

Because the computation of the coverage number requires many additions of moving integer values, we can expect that this computation is expensive. Figure 13 shows the times required to compute the coverage numbers including the *hat* simplification. Because this computation is required only once in the preprocessing phase, the long running times are acceptable.




Figure 13: Time to Compute the *Coverage Numbers*

### 7.2.3 Effectiveness of the Filter Step

In this section we measure how many candidate units are created by the filter step. This number reflects the pruning ability of the filtering algorithm which has great influence on the query efficiency because the units passing the filter step must be processed in the cost intensive refinement step.

For the first experiment, we have varied the data size. As data sets we have used scaled versions of *Trains*. The number of requested nearest neighbors was set to  $k = 5$ , the query time to  $Q_t = 1$ . The query was performed with a query object available in all data sets, *train111*. The result is shown in Figure 14(a). Also the number of units of the final result is part of this figure. One can see that the filter step returns roughly the same number of candidates for all data sizes.

Second, we have varied the number  $k$  of requested neighbors for the data set *Trains25*. Here a query object *train742* was used in all queries. Figure 14(b) depicts the behaviour of our algorithm. When  $k$  increases, the number of candidates returned by the filter algorithm increases proportional to the final result.




Figure 14: The number of units returned by the filter step

## 7.3 Competitors' Implementation

To be able to compare our solution with the two existing algorithms, we have implemented both the HCNN [18] algorithm and the HCT $k$ NN [20] algorithm within the *SECONDO*-framework. Because HCT $k$ NN uses a TB-tree [32] for indexing the moving data, the TB-tree was also implemented as an index structure in *SECONDO*. HCNN applies the depth first-first method to traverse the index structure where both a TB-tree and a 3D R-tree can be used. From the experimental results in [18] we know that

the 3D R-tree has a better performance than the TB-tree for the HCNN algorithm. Therefore we compare our approach with this faster implementation. HCT $k$ NN traverses the TB-tree in best first manner.

Both algorithms use a set of data structures, whose elements are so-called *nearest\_lists*, to store the result found so far when traversing the index. The size of this set corresponds to  $k$ , the number of neighbors searched.




Figure 15: Nearest List Structure

Figure 15 depicts the structure of a single *nearest\_list*. The entries of the list are ordered by starting time. An entry has the form  $e = \langle tid, D, t_1, t_2, mind, maxd \rangle$ , where  $tid$  corresponds to an entry in the leaf node of the index,  $D$  is a function depending on time,  $D(t) = a \cdot t^2 + b \cdot t + c$ , denoting the moving distance between the entry and the query object during the time interval  $[t_1, t_2]$ ,  $mind$  and  $maxd$  is the maximum or the minimum value of that function, respectively. The time intervals of the entries stored in a single list are pairwise quasi disjoint, meaning that they can share only a common start or end point.

When considering the set of  $k$  lists  $list[1], \dots, list[k]$ , for each instant  $t$ ,  $list[i].D(t) \leq list[i + 1].D(t)$ ,  $1 \leq i < k$ , holds. The maximum value stored in  $list[i]$  is called  $prunedist(i)$ . If the union of the time intervals of the entries in  $list[i]$  does not cover the complete query time interval then  $prunedist(i) = \infty$  holds. Thus  $prunedist(k)$  is the maximum distance of the  $k$  nearest neighbors found so far. All entries whose minimum distance is greater than  $prunedist(k)$  can be pruned. When inserting a new entry  $e$ , we start at  $list[1]$ . If the time interval of  $e$  is already covered by another entry, we split the entries if necessary and try to insert the entries having a greater distance function into  $list[2]$ . So high values move up within the set of lists until  $list[k]$  is reached or their time interval is not any more covered.

Besides using *prunedist*, HCNN applies a further pruning strategy to filter impossible non-leaf nodes. For each entry in non-leaf node, it checks the maximum distance of already stored tuples in the list restricted to the entry's life time. If the minimum distance of an entry is larger than the maximum, it can be pruned. Compared with the pruning strategy with only a global maximum distance, it can prune more nodes whose time interval is disjoint with that covered by *prunedist*.

## 7.4 Evaluation Results

In this section we compare the performance of the three algorithms. Tables with numeric results for all graphs of this section can be found in Appendix B.

### 7.4.1 Varying Data Size

In the first experiment, we vary the data size  $N$  where all other parameters remain unchanged. We set  $k$  to five, so that each query object asks for its five nearest neighbors. Regarding the query time interval, the default is to use the entire life time of the query object, i.e.,  $Q_t = 1$ .

Originally we had built the 3D R-tree for HCNN by applying the regular R-tree insertion algorithm to a stream of units ordered by start time. The authors had informed us that they had used this method to build the R-tree in their experiments [17]. However, in our experiments we found that HCNN behaves

quite badly on large data sets with R-trees built in this way. We discovered that it has a much better performance when the R-tree is built by bulkload on a temporally ordered stream of units.

To demonstrate this, in a few experiments we have built the R-tree in both ways and compared the results. We call the two versions HCNN-Standard and HCNN-Bulk, respectively. On the small *Trucks* data set it is feasible to show the results in the same graph; this is done below in Section 7.4.3. Unfortunately, in this first experiment varying the data size, the execution times for HCNN-Standard soon become extremely large. Therefore they have not been included in the graphs. The numbers are shown up to the *Trains9* data set in Tables 3 and 4 in Appendix B. In the following, when results are labeled HCNN, always HCNN-Bulk is meant.

Figure 16 reports the effect of varying the number of moving units on CPU and I/O cost. Note that Figure 16(a) and (b) are plotted using a log scale. The CPU cost of all algorithms increases when  $N$  becomes larger, but the curve of TC $k$ NN always remains at a lower level than HCT $k$ NN and HCNN. Algorithms TC $k$ NN and HCNN show a similar behaviour, but because we start at a lower level, the cost is smaller. HCT $k$ NN is worse than HCNN for small data sets, but it becomes better when the data size increases. This is due to its simple pruning strategy where only the global maximum distance is applied to filter impossible nodes whereas HCNN applies one more pruning strategy which takes more time.

For the largest data set (5.154 million units), the CPU response time of our algorithm is 4.419 seconds, while HCT $k$ NN and HCNN require 13.453 seconds and 36.017 seconds, respectively.

Also, the I/O cost of TC $k$ NN is relatively small compared with the other two competitors. There are two main reasons. First, HCNN and HCT $k$ NN don't optimize the index structure for  $k$ NN queries as we have done. Second, the TB-tree structure only stores units of a single object within a leaf node. If an object covers large distances, the leaf nodes of the TB-tree will have a large spatial extent.




Figure 16: Performance versus data size

#### 7.4.2 Performance versus $k$

Here, we compare the running times of the algorithms if the number  $k$  of requested neighbors is changed. We have set  $k$  to one of  $\{1, 5, 10, 20, 50\}$ . As data sets serve *Trains25* and *Trucks*. Figures 17 and 18 show the CPU cost and the I/O access depending on  $k$ . Note that all figures are drawn in a log scale. Our algorithm and HCNN have similar curves but our algorithm is always at a lower level. If  $k$  increases, the absolute gap between TC $k$ NN and the competitors enlarges. HCT $k$ NN is better than HCNN for small values of  $k$ , e.g.,  $k = 1$ , but when  $k$  enlarges, its cost increases quickly so that it is worse than HCNN, because it only uses the global maximum distance to prune. When some nodes can't be pruned, it is necessary to traverse the entire list structure from the bottom to the top list. If  $k$  is large, more levels of the *nearest\_list* have to be visited.




Figure 17: Performance versus  $k$  (*Trains25*)




Figure 18: Performance versus  $k$  (*Trucks*)

### 7.4.3 Query Time Range

In this experiment, we show the performance of the algorithms in dependence on the duration of definition time of the query object. For varying the time interval, we have cut out a randomly chosen connected part of the original query object in which actually the number of units (and thus the definition time) is varied. In the experiment on *Trucks*, we have included both versions of HCNN, i.e., HCNN-Standard and HCNN-Bulk.

Figures 19 and 20 illustrate the experimental results. For a short query time interval, HCT $k$ NN is better than HCNN-Bulk and HCNN-Standard, and has no big difference with our algorithm. This is because the number of tuples stored in each list is small if the time interval is short so that the linear traversal has no difference with binary search in the segment tree structure. The HCNN (Bulk and Standard) algorithm has one more pruning strategy which takes time to check the minimum and maximum distance. When the query time interval increases, the advantage of our algorithm becomes obvious and it almost stays at the same level whereas the other algorithms take more time than our solution.

As the HCNN algorithm is faster if the index is built by bulkload instead of the standard way, in the other experiments we have only compared with HCNN-Bulk.

### 7.4.4 Evaluation on Long Trajectories

Finally, to examine the scalability of the algorithm, we do special experiments on data and query objects with long trajectories. The longest trajectories can be found in the data set *Cars*, thus we use this data set for the experiments. We vary the number of units of the query object using one of the numbers {100, 200, 500, 800, 1000} and  $k$  is set to five.

Figure 21 reports the experimental result. Our algorithm takes less than 6 seconds CPU time for all cases, while HCNN takes more time, increasing from 2.222 seconds to 50.83 seconds, which is about






Figure 19: Performance versus query duration (*Trains25*)




Figure 20: Performance versus query duration (*Trucks*)

8 times more than  $TCkNN$  for a query object with 1000 units.  $HCTkNN$  is faster than  $HCNN$  for the smallest number of units, but it becomes significantly more expensive and the CPU time increases in an even larger slope, e.g., for 500 units, it costs 73.768 seconds already. This is due to the trajectory preservation property of a TB-tree and the linear structure of the *nearest\_list*.

Also especially for leaf entries from the index, our BB-tree structure is helpful because it can compute a bounding box of the query object for a given time interval in logarithmic instead of linear time needed by the other algorithms. Note that during the traversal of the index, for each node/entry the algorithm has to find the subtrajectory of  $mq$  overlapping the time interval of the node/entry. This step has to be done a lot of times, so when  $mq$  has a long trajectory (more units), a linear interpolation method takes more time. For the I/O cost, the value of  $TCkNN$  is between 3 and 25 ( $\times 10^3$ ), which is also much smaller than  $HCTkNN$  and  $HCNN$ .




Figure 21: Evaluation on long trajectory (*Cars*)

## 8 System Use and Experimental Repeatability

Together with this paper, we also publish the implementations of the three algorithms compared. This is possible using a feature recently available in the `SECONDO` environment, called a `SECONDO Plugin`. It allows authors of a paper to wrap their implementation into a so-called algebra module and to make data structures and algorithms available as type constructors and operators of such an algebra. Extensions to the query optimizer or the graphical user interface are also supported but are not needed in this paper. Authors can create a plugin, which is a set of files together with a small XML file describing the extensions, and publish it as a zip-file. Readers of the paper can install the plugin into a standard `SECONDO` system obtained from the `SECONDO` web site. More details can be found at [6].

Publishing also the implementations has several benefits. Algorithms can be used in a system context and prove their usefulness in real applications. Experiments reported in the paper can be checked by the reader. Other experiments not provided by the authors can be made, using other parameter settings or other data sets. Details of the experiments not clear from the description can be examined.

Finally, the next proposal of an improved algorithm will find an excellent environment for comparison as it is not any more necessary to reimplement the competing solutions.

### 8.1 Using the Algorithms in a System

In this section we explain how the algorithm `TC $k$ NN` proposed in this paper as well as the two competing algorithms `HCNN` [18] and `HCT $k$ NN` [20] can be used within the `SECONDO` system.

In the sequel we describe how a `SECONDO` system and the Nearest Neighbor Plugin can be installed, how the test databases can be generated, how queries can be formulated and the results be visualized.

#### 8.1.1 Installing a `SECONDO` System

If you happen to have a running `SECONDO` installation with a system of version 2.8.4 or higher, this step can be skipped. Otherwise:

1. Go to the `SECONDO` web site at [8]. Go to the *Downloads* page, section *Secondo Installation Kits*. Select the version for your platform (Mac-OS X, Linux, Windows). Get the installation guide and download the SDK. Follow the instructions to get an environment where you can compile and run `Secondo`.
2. Go to the Source Code section of the *Downloads* page and download version 2.8.4. Extract it and replace the `SECONDO` version from the installation kit by this version.

#### 8.1.2 Installing the Nearest Neighbor Plugin

From the `SECONDO Plugin` web site [6] get the two files `Installer.jar` and `secinstall`. The Nearest Neighbor plugin is a file `NN.zip` available at [2]. Follow the instructions in section *Installing Plugins* at [6] to install it. Then recompile the system (i.e., call `make` in directory `secondo`).

#### 8.1.3 Restoring a Database

We first restore the database *berlintest* that comes within the `SECONDO` distribution:

1. Start a `SECONDO` system:

```
cd ~secondo/bin
SecondoTTYNT
```

After some messages, a prompt should appear:

```
Secondo =>
```

2. At the prompt, enter
 

```
restore database berlintest from berlintest
close database
quit
```

#### 8.1.4 Looking at Data

As discussed in Section 7, the main test data we use are derived from the relation *Trains* in the database *berlintest*, containing 562 underground trains moving according to schedule on the network *UBahn*. The schema of *Trains* is

```
Trains(Id: int, Line: int, Up: bool, Trip: mpoint)
```

where *Id* is a unique identifier for this train (trip), *Line* is the line number, *Up* indicates which direction the train is going, and *Trip* contains the actual trajectory. We briefly look at these data within the system.

1. Start the SECONDO kernel together with the graphical user interface. Open a shell and type
 

```
cd ~secondo/bin
SecondoMonitor -s
[SecondoMonitor.exe -s on a Windows platform]
```

 Open a new shell:
 

```
cd ~secondo/Javagui
sgui
```
2. In the command window (top left), type
 

```
open database berlintest;
query UBahn
```

 A pop-up window appears asking for a display style for the *geoData* attribute of the *UBahn* relation. Leave the default and click OK. The *UBahn* network appears in the viewer at the bottom.
3. In the *File* menu, select *Load categories* which makes some other display styles available. Choose *BerlinU.cat*.
4. In SECONDO, it is possible to type query plans directly, without the use of an optimizer. This is what we do next. In the command window, type:
 

```
query Trains count
```

 This confirms that relation *Trains* is present and has 562 tuples. Operator *count* is applied to the *Trains* relation in postfix notation.
5. 

```
query Trains feed filter[.Trip present six30] consume
```

 This selects trains whose *Trip* attribute is defined at 6:30 (*six30* is a SECONDO object of type *instant* in the database). Here the *feed* operator (applied in postfix notation to *Trains*) creates a stream of tuples. The *filter* operator passes only tuples to its output stream fulfilling a predicate. *Consume* collects a stream of tuples into a relation which is then displayed at the user interface.
 A pop-up window asks for the display style. From *View Category* select *QueryMPoint*. Standard attributes appear in the text window at the left side of the Hoese viewer (the viewer forms the bottom of the entire window). When you select one of the *Trip* attributes, also geometries appear in the graphics window on the right.
6. Animate the displayed trains using the buttons at the top left of the viewer. The double arrow buttons allow one to double or halve the speed of the animation.

This may suffice as a very brief introduction to using SECONDO. To become a bit more acquainted with the user interface and the querying and visualizing of moving objects, we recommend to go through the brief "Do it yourself demo" ([5], Section 2). More information about using SECONDO can be found at the Web site [8], in particular in the user manual [7].

### 8.1.5 Using knearest

On the small *Trains* relation it is feasible to run a TCkNN query using just the *knearest* operator which implements the refine step as described in Section 6. We use the unit representation of *Trains*, a relation called *UnitTrains*. It is present in the database, but could also be created using the command:

```
let UnitTrains = Trains feed
  projectextendstream[Id, Line, Up; UTrip: units(.Trip)] consume
```

The *projectextendstream* operator creates a stream of units from the *Trip* attribute of each input tuple and outputs for each unit a copy of the original tuple restricted to attributes *Id*, *Line*, *Up*, and the new unit attribute *UTrip*.

1. query UnitTrains count

Relation *UnitTrains* is present and has 51544 tuples.

2. We create a version of *UnitTrains* where units are ordered by start time:

```
let UTOordered = UnitTrains feed
  extend[Mintime: minimum(deftime(.UTrip))]
  sortby[Mintime asc] consume
```

Operator *extend* adds derived attributes to tuples.

3. From the window showing displayed objects (top right), remove all items using the *clear* button. Then display the *UBahn* network again as in step 2 of Section 8.1.4.

4. query Trains

This loads the entire set of trains into the user interface for display. It takes some time. Choose display style *QueryMPoint*.

5. query train7

This loads a *SECONDO* object of type *mpoint* which we will use as a query object. Display as *QueryPoint*.

6. Find the five continuous nearest neighbors to *train7*.

```
query UTOordered feed knearest[UTrip, train7, 5] consume
```

Arguments to the *knearest* operator are the ordered stream of unit tuples, the name of the attribute, the query trajectory, and the number of neighbors. Choose *QueryMPoint2* for display style. In the animation, one can observe that always the five closest trains appear in blue (the result of this query).

7. Find the five continuous nearest neighbors to *train7* belonging to line 5.

```
query UTOordered feed filter[.Line = 5]
  knearest[UTrip, train7, 5] consume
```

This illustrates that nearest neighbors fulfilling additional conditions can be found.

### 8.1.6 Creating Test Data

We now show how the test data are generated. Here we restrict attention to the creation of data set *Trains25*. This is done by running the script file *createtrains25* from [4] which needs to be placed in the *secondo/bin* directory. The file is explained in Appendix C.

Close down any running *SECONDO* system. Open a new shell and type

```
SecondoTTYNT -i createtrains25
```

This creates appropriate versions of relations and indexes for the three algorithms.

### 8.1.7 Using the Three Algorithms CT $k$ NN, HCNN, and HC $k$ NN

Each of the three main algorithms compared in the experiments is available as an operator. They are called *knearestfilter* and *knearest*, *greecknearest*, and *chinaknearest* for CT $k$ NN, HCNN, and HCT $k$ NN, respectively.

As a query object we use *train742*, which is the first train of line 7 within the field (4, 2) of the 5 x 5 pattern. The dataset considered now can be visualized by translating the underlying *UBahn* network in the same way (see Appendix C for an explanation).

1. Create *UBahn25* and visualize it:

```
let UBahn25 = UBahn feed five feed f1 five feed f2 product product
  projectextend[Name, Typ;
    geoData: .geoData translate[30000.0 * .no_f1, 30000.0 * .no_f2],
    FieldX: .no_f1,
    FieldY: .no_f2]
  consume;
```

```
query UBahn25
```

As discussed in Section 7, the *Trains25* dataset has about 1.3 million units. It is too large to load it entirely into the viewer. To be able to interpret the answer of the query, we visualize the trains moving in field (4, 2) together with the query object, *train742*.

2. Load trains from field (4, 2) and the query object.

```
query Trains25 feed filter[(.FieldX = 4) and (.FieldY = 2)] consume;
query train742
```

3. Find the 5 closest trains to *train742* within data set *Trains25*, using TC $k$ NN. We proceed in two steps to display first the candidates found in the filter step, using operator *knearestfilter*, and then the complete solution.

```
query UnitTrains25_UTrip UnitTrains25
  UnitTrains25Cover_RecId UnitTrains25Cover
  knearestfilter[UTrip, train742, 5] consume;
```

```
query UnitTrains25_UTrip UnitTrains25
  UnitTrains25Cover_RecId UnitTrains25Cover
  knearestfilter[UTrip, train742, 5]
  knearest[UTrip, train742, 5] consume;
```

The arguments to *knearestfilter* are the R-tree index and the indexed relation, then the B-tree index on the relation with coverage numbers and this relation, finally (in the square brackets) the attribute name, the query trajectory, and the number  $k$ .

4. Find the 5 closest trains to *train742* within data set *Trains25*, using HCNN.

```
query UTOordered_RTtreeBulk25 UTOordered25
  greecknearest[UTrip, train742, 5] consume;
```

Arguments are the R-tree and the unit relation, clustered in the same way.

5. Find the 5 closest trains to *train742* within data set *Trains25*, using HC $k$ NN.

```
query UnitTrains_UTrip_tbtrees25 UnitTrains25C
  chinaknearest[UTrip, train742, 5] consume;
```

Arguments are the TB-tree and the unit relation. Here units are ordered by train objects.

## 8.2 Repeating the Experiments

Experiments can be repeated using the scripts provided at [4]. As a preparation, extract all the files from this zip-archive and place them into the `secondo/bin` directory. Files for data generation should be called, for example:

```
SecondoTTYNT -i createtrains25
```

Files for performing experiments should be called

```
SecondoTTYBDB -i query-k-trains25
```

As an example, Appendix D shows the script `query-k-trains25` to run the experiment “performance vs.  $k$ ” of Section 7.4.2. Note that the last queries examine `SECONDO` relations `SEC2COMMANDS` and `SEC2COUNTERS`. These system relations capture information about query execution; each command after starting a `SECONDO` system is numbered sequentially. Hence after the first command for opening the database, the ten queries for each of the three algorithms are numbered 2 through 11, 12 through 21, and 22 through 31, respectively. The queries aggregate over these executions to get average CPU time and numbers of page accesses.

Results should roughly correspond to those displayed in Figure 17 and Tables 5 and 6. Of course, only trends should agree; absolute numbers may differ due to the different platforms used.

## 9 Conclusions

In this paper we have studied continuous  $k$  nearest neighbor search on moving objects trajectories when both query and data objects are mobile. We have presented a filter-and-refine approach. The main idea in the filter step was to compute for each node of the index its time dependent coverage function in preprocessing and to store a suitable simplification of this function. Coverage numbers are then essential for pruning during the index traversal. This is further supported by the use of efficient data structures to compute spatial bounding boxes of partial query trajectories and to keep track of node coverages and node distances during traversal. The refinement step can also be used independently to find continuous  $k$  nearest neighbors fulfilling further predicates. An experimental comparison shows that the new algorithm outperforms the two competing algorithms in most cases by orders of magnitude.

As a second aspect, we have advocated a methodology of experimental research that makes data structures and algorithms available in a system context and that publishes together with papers also their implementation used in experiments. A platform has been provided that allows authors to publish software in this way. As a benefit, readers can relatively easily repeat or extend the experiments presented in the paper. Furthermore, in the long run, researchers will find existing implementations to compare to instead of always reimplementing competing techniques from scratch. We have used the research contribution of this paper as an example to demonstrate this style of publishing experimental research.

Open questions for future work are whether the pruning techniques of the filter step can be adapted to other cases, for example other query types such as reverse nearest neighbors, network-based movement, or the presence of additional predicates.

## Acknowledgements

The contribution of Angelika Braese who implemented preliminary versions of both the filter and the refinement algorithm in her bachelor thesis, is gratefully acknowledged.

## References

- [1] BerlinMOD. <http://dna.fernuni-hagen.de/secondo/BerlinMOD.html>.
- [2] Nearest Neighbor Algebra Plugin. Included with submission. <http://dna.fernuni-hagen.de/Secondo.html/files/plugins/NN.zip>.
- [3] R-tree Portal. <http://www.rtreeportal.org>.
- [4] Scripts to execute the experiments of this paper. Included with submission. <http://dna.fernuni-hagen.de/papers/KNN/knn-experiment-script.zip>.
- [5] Secondo. A Database System for Moving Objects. <http://dna.fernuni-hagen.de/Secondo.html/Secondo-mod.pdf>.
- [6] Secondo Plugins. [http://dna.fernuni-hagen.de/Secondo.html/content\\_plugins.html](http://dna.fernuni-hagen.de/Secondo.html/content_plugins.html).
- [7] Secondo User Manual. <http://dna.fernuni-hagen.de/Secondo.html/files/SecondoManual.pdf>.
- [8] Secondo Web Site. <http://dna.fernuni-hagen.de/Secondo.html/>.
- [9] R. Benetis, C. S. Jensen, G. Karciuskas, and S. Saltenis. Nearest and reverse nearest neighbor queries for moving objects. *VLDB J.*, 15(3):229–249, 2006.
- [10] J. L. Bentley and T. Ottmann. Algorithms for reporting and counting geometric intersections. *IEEE Trans. Computers*, 28(9):643–647, 1979.
- [11] S. Berchtold, C. Böhm, and H.P. Kriegel. Improving the query performance of high-dimensional index structures by bulk load operations. In *EDBT*, pages 216–230, 1998.
- [12] J. Bercken, B. Seeger, and P. Widmayer. A generic approach to bulk loading multidimensional index structures. In *VLDB*, pages 406–415, 1997.
- [13] V. P. Chakka, A. Everspaugh, and J. M. Patel. Indexing large trajectory data sets with seti. In *CIDR*, 2003.
- [14] M. de Berg, O. Cheong, M. van Kreveld, and M. Overmars. *Computational Geometry: Algorithms and Applications*. Springer, Heidelberg, 3rd edition, 2008.
- [15] C. Düntgen, T. Behr, and R.H. Güting. BerlinMOD: A benchmark for moving object databases. *The VLDB Journal*, online first, 2009.
- [16] L. Forlizzi, R. H. Güting, E. Nardelli, and M. Schneider. A data model and data structures for moving objects databases. In *SIGMOD*, pages 319–330, 2000.
- [17] E. Frentzos. Personal communication.
- [18] E. Frentzos, K. Gratsias, N. Pelekis, and Y. Theodoridis. Algorithms for nearest neighbor search on moving object trajectories. *GeoInformatica*, 11(2):159–193, 2007.
- [19] E. Frentzos, K. Gratsias, and Y. Theodoridis. Index-based most similar trajectory search. In *ICDE*, pages 816–825. IEEE, 2007.
- [20] Y. Gao, C. Li, G. Chen, Q. Li, and C. Chen. Efficient algorithms for historical continuous  $k$  nn query processing over moving object trajectories. In *APWeb/WAIM*, pages 188–199, 2007.

- [21] Y. J. Gao, C. Li, G. C. Chen, L. Chen, X. T. Jiang, and C. Chen. Efficient k-nearest neighbor search algorithms for historical moving object trajectories. *Journal of Computer Science and Technology*, 22(2):232–244, 2007.
- [22] F. Giannotti and D. Pedreschi, editors. *Mobility, Data Mining and Privacy - Geographic Knowledge Discovery*. Springer, 2008.
- [23] J. Gudmundsson and M. J. van Kreveld. Computing longest duration flocks in trajectory data. In Rolf A. de By and Silvia Nittel, editors, *GIS*, pages 35–42. ACM, 2006.
- [24] R. H. Güting, M. H. Böhlen, M. Erwig, C. S. Jensen, N. A. Lorentzos, M. Schneider, and M. Vazirgiannis. A foundation for representing and quering moving objects. *ACM TODS*, 25(1):1–42, 2000.
- [25] G. R. Hjaltason and H. Samet. Distance browsing in spatial databases. *ACM Trans. Database Syst.*, 24(2):265–318, 1999.
- [26] Y. Huang, C. Chen, and C. Lee. Continous k-nearest neighbor query for moving objects with uncertain velocity. *Geoinformatica*, 2007.
- [27] G. S. Iwerks, H. Samet, and K. P. Smith. Continuous k-nearest neighbor queries for continuously moving points with updates. In *VLDB*, pages 512–523, 2003.
- [28] H. Jeung, M. L. Yiu, X. Zhou, C. S. Jensen, and H. T. Shen. Discovery of convoys in trajectory databases. In *VLDB*, 2008.
- [29] M. F. Mokbel, T. M. Ghanem, and W. G. Aref. Spatio-temporal access methods. *IEEE Data Eng. Bull.*, 26(2):40–49, 2003.
- [30] G. M. Morton. A computer oriented geodetic data base and a new technique in file sequencing. Technical report, IBM Ltd. Ottawa, 1966.
- [31] K. Mouratidis, M. Hadjieleftheriou, and D. Papadias. Conceptual partitioning: An efficient method for continuous nearest neighbor monitoring. In *SIGMOD*, pages 634–645, 2005.
- [32] D. Pfoser, C. S. Jensen, and Y. Theodoridis. Novel approaches in query processing for moving object trajectories. In *VLDB*, pages 395–406, 2000.
- [33] K. Raptopoulou, A. Papadopoulos, and Y. Manolopoulos. Fast nearest-neighbor query processing in moving-object databases. *GeoInformatica*, 7(2):113–137, 2003.
- [34] S. Rasetic, J. Sander, J. Elding, and M. A. Nascimento. A trajectory splitting model for efficient spatio-temporal indexing. In *VLDB*, 2005.
- [35] N. Roussopoulos, S. Kelly, and F. Vincent. Nearest neighbor queries. In *SIGMOD*, 1995.
- [36] A. P. Sistla, O. Wolfson, S. Chamberlain, and S. Dao. Modeling and querying moving objects. In W. A. Gray and Per-Åke Larson, editors, *Proceedings of the Thirteenth International Conference on Data Engineering, April 7-11, 1997 Birmingham U.K*, pages 422–432. IEEE Computer Society, 1997.
- [37] Z. Song and N. Roussopoulos. K-nearest neighbor search for moving query point. In *SSTD*, pages 79–96, 2001.
- [38] Y. Tao and D. Papadias. Time-parameterized queries in spatio-temporal databases. In *SIGMOD*, pages 334–345, 2002.



- [39] Y. Tao, D. Papadias, and Q. Shen. Continuous nearest neighbor search. In *VLDB*, pages 287–298, 2002.
- [40] O. Wolfson, B. Xu, S. Chamberlain, and L. Jiang. Moving objects databases: Issues and solutions. In *SSDBM*, pages 111–122, 1998.
- [41] X. Xiong, M. F. Mokbel, and W. G. Aref. Sea-cnn: Scalable processing of continuous k-nearest neighbor queries in spatio-temporal databases. In *ICDE*, pages 643–654, 2005.
- [42] X. Yu, K. Q. Pu, and N. Koudas. Monitoring k-nearest neighbor queries over moving objects. In *ICDE*, pages 631–642, 2005.

## A Implementation of the Cover Structure

A node has the following structure:

```

type node = record
  time interval [ $t_1, t_2$ ];
  pointer to node left, right;
  list of cover_entry list;
  list of pairs  $\langle$ which, cover_entry $\rangle$  startlist, endlist
end record.

```

The lists *list*, *startlist*, and *endlist* are doubly linked lists with elements of the form  $\langle$ *pred, succ, pointer to cover\_entry* $\rangle$ . Whenever a *cover\_entry* is added to such a list, actually a pointer to the *cover\_entry* is inserted and at the same time a pointer to this list element is added to the list *refs* in the *cover\_entry*. In this way efficient deletion of cover entries is possible.

Update methods are *insert\_entry*, *add\_coordinate*, *insert\_interval*, and *delete\_entry*. Query methods are *point\_query* and *range\_query*.

---

**Algorithm 9:** *insert\_entry(ce)*

---

```

Input: ce - a cover entry;
Output: none
1 let root = this.root();
2 add_coordinate(root, ce.t1, true, ce);
3 add_coordinate(root, ce.t2, false, ce);
4 insert_interval(root, ce.t1, ce.t2, ce);

```

---

---

**Algorithm 10:** *add\_coordinate(n, t, start, ce)*

---

**Input:**  $n$  - a node;

$t$  - an instant of time;

$start$  - a boolean indicating whether a left or right end is added;

$ce$  - a cover entry.

**Output:** none

/\* modifies the segment tree to accomodate a possibly new coordinate  $t$  and adds the entry as either a start or an end entry. \*/

```
1 if  $n$  is a leaf then
2   if  $n.t_1 < t < n.t_2$  then
3      $n.left = new\ node(n.t_1, t);$ 
4      $n.right = new\ node(t, n.t_2);$ 
5     if  $start$  then  $n.right.startlist.append(<bottom, ce>);$ 
6     else  $n.left.endlist.append(<top, ce>);$ 
7 else //  $n$  is an inner node
8   if  $t = n.left.t_2$  then
9     if  $start$  then  $n.right.startlist.append(<bottom, ce>);$ 
10    else  $n.left.endlist.append(<top, ce>);$ 
11  else
12    if  $t < n.left.t_2$  then  $add\_coordinate(n.left, t, start, ce);$ 
13    else  $add\_coordinate(n.right, t, start, ce);$ 
14
```

---

---

**Algorithm 11:** *insert\_interval(n, t<sub>1</sub>, t<sub>2</sub>, ce)*

---

**Input:**  $n$  - a node;

$[t_1, t_2]$  - a time interval;

$ce$  - a cover entry;

**Output:** none

```
1 if  $[n.t_1, n.t_2] \subseteq [t_1, t_2]$  then  $n.list.append(ce);$ 
2 if  $n$  is an inner node then
3   if  $t_1 < n.left.t_2$  then  $insert\_interval(n.left, t_1, t_2, ce);$ 
4   if  $t_2 > n.right.t_1$  then  $insert\_interval(n.right, t_1, t_2, ce);$ 
```

---

---

**Algorithm 12:** *delete\_entry(ce)*

---

**Input:**  $ce$  - a cover entry

**Output:** none

```
1 for each  $s \in ce.refs$  do  $remove(s);$ 
```

---

---

**Algorithm 13:** *point\_query*( $n, t$ )

---

**Input:**  $n$  - a node;

$t$  - an instant of time.

**Output:** a set of entries whose time intervals contain  $t$ .

```
1 if  $n = null$  then return  $\emptyset$ ;  
2 else  
3   if  $n.t_1 \leq t \leq n.t_2$  then  
4     return  $n.list \cup point\_query(n.left, t) \cup point\_query(n.right, t)$ ;  
5   else return  $\emptyset$ ;
```

---

---

**Algorithm 14:** *range\_query*( $n, t_1, t_2$ )

---

**Input:**  $n$  - a node;

$[t_1, t_2]$  - a time interval.

**Output:** a list of pairs of the form  $\langle which, ce \rangle$  where  $which \in \{bottom, top\}$ ,  $ce$  a cover entry.

The list contains only entries whose start or end time lies within  $[t_1, t_2]$ , in temporal order w.r.t their start or end time.

```
1 if  $n = null$  then return  $\emptyset$ ;  
2 else  
3   if  $n.t_2 < t_1$  then return  $\emptyset$ ;  
4   else  
5     if  $t_2 < n.t_1$  then return  $\emptyset$ ;  
6     else  
7        $S = \emptyset$ ;  
8       if  $t_1 \leq n.t_1 \leq t_2$  then  $S = concat(S, n.startlist)$ ;  
9       if  $n$  is not a leaf then  
10         $S = concat(S, concat(range\_query(n.left, t_1, t_2), range\_query(n.right, t_1, t_2)))$ ;  
11        if  $t_1 \leq n.t_2 \leq t_2$  then  $S = concat(S, n.endlist)$ ;  
12        return  $S$ ;
```

---

## B Tables for Experimental Evaluation

Tables 3 through 13 provide the numeric results of the experiments of Section 7.

Datasize(million)	0.051	0.464	1.29	3.3	5.154
TCkNN	0.2125	0.359	0.639	0.99	4.419
HCTkNN	3.93	6.8483	12.014	13.146	13.453
HCNN-Bulk	0.86	4.088	11.516	24.283	36.017
HCNN-Standard	2.373	217.441	972.924		

Table 3: CPU time for datasize (sec)

Datasize(million)	0.051	0.464	1.29	3.3	5.154
TCkNN	2.9915	2.833	4.5534	6.4553	10.6509
HCTkNN	11.229	42.836	52.4031	58.5742	58.6521
HCNN-Bulk	26.8733	98.0624	280.0883	606.3243	910.9049
HCNN-Standard	23.551	84.0161	193.1001		

Table 4: I/O for datasize ( $\times 10^3$ )

k	1	5	10	20	50
TCkNN	0.501	0.657	0.825	1.172	2.177
HCTkNN	1.48	11.916	57.845	274.365	1614
HCNN	7.523	10.68	15.584	31.114	134.84

Table 5: CPU time for k on Trains25 (sec)

k	1	5	10	20	50
TckNN	2.8771	4.6123	6.1454	8.875	15.3727
HCTkNN	29.6357	54.1393	92.6692	181.0361	456.130
HCNN	237.2368	262.0703	291.7257	352.9404	648.211

Table 6: I/O for k on Trains25 ( $\times 10^3$ )

k	1	5	10	20	50
TckNN	0.431	1.01	1.206	1.643	1.761
HCTkNN	1.046	56.41	125.284	280.566	638.712
HCNN	0.987	7.579	25.886	66.211	85.5

Table 7: CPU time for k on Trucks (sec)

k	1	5	10	20	50
TckNN	2.2023	7.848	10.63	14.5099	15.648
HCTkNN	11.6411	71.3964	129.4408	268.7456	432.0422
HCNN	22.8143	75.6934	138.7414	249.2896	442.215

Table 8: I/O for k on Trucks ( $\times 10^3$ )

Qt	0.05	0.1	0.2	0.5	1.0
TckNN	0.202	0.311	0.359	0.659	0.64
HCTkNN	0.083	0.146	0.302	0.78	13.397
HCNN	0.296	1.102	1.832	4.648	10.549

Table 9: CPU time for Qt on Trains25 (sec)

Qt	0.05	0.1	0.2	0.5	1.0
TckNN	1.4296	1.3461	2.6451	3.6089	4.5706
HCTkNN	1.8493	3.5507	7.3944	17.0242	55.7424
HCNN	10.4061	31.1233	53.3972	127.1772	262.0703

Table 10: I/O for Qt on Trains25 ( $\times 10^3$ )

Qt	0.05	0.1	0.2	0.5	1.0
TckNN	0.049	0.086	0.122	0.255	0.865
HCTkNN	0.057	0.19	0.302	1.446	56.244
HCNN-Bulk	0.142	0.393	0.741	1.428	7.556
HCNN-Standard	0.146	0.454	0.933	2.308	18.585

Table 11: CPU time for Qt on Trucks (sec)

Qt	0.05	0.1	0.2	0.5	1.0
TCkNN	0.5164	0.8069	1.2285	2.4016	6.8346
HCTkNN	1.292	4.0847	6.4763	16.5545	67.5294
HCNN-Bulk	3.5888	7.855	14.3979	28.2744	75.6943
HCNN-Standard	3.0866	6.3347	11.0045	22.0227	58.6015

Table 12: I/O for Qt on Trucks ( $\times 10^3$ )

number of units	100	200	500	800	1000
TCkNN	0.3	0.932	2.695	5.067	4.825
HCTkNN	0.483	2.548	73.768	1504.91	1635.61
HCNN	2.222	7.401	20.364	45.664	50.83

Table 13: CPU time for long trajectory (sec)

number of units	100	200	500	800	1000
TCkNN	2.4784	5.9583	14.1228	24.1902	24.6388
HCTkNN	10.2999	30.7703	155.9528	416.571	511.098
HCNN	51.9219	141.5523	388.4074	783.7167	855.2416

Table 14: I/O for long trajectory ( $\times 10^3$ )

## C Creation of Test Data

This is a commented version of file `createtrains25`.

This script creates the *Trains25* data set for each of the three algorithms TC $k$ NN, HCNN, and HCT $k$ NN. Starting point is the relation *Trains* containing 562 underground trains moving according to schedule on the network *UBahn*. We now explain the commands in the script.

```
let five = ten feed filter[.no < 6] consume;

let Trains25 = Trains feed five feed f1 five feed f2
  product product
  projectextend[Id, Line, Up;
    Trip: .Trip translate[[const duration value (0 0)],
      30000.0 * .no_f1, 30000.0 * .no_f2],
    FieldX: .no_f1,
    FieldY: .no_f2]
  consume;
```

The first command creates a relation *five* containing the numbers 1 through 5. It is used to make 25 copies of the *Trains* in the next command, using two *product* operator calls to build the Cartesian product of *Trains* and two instances of relation *five*. Note that operations are often applied in postfix notation. Next the *projectextend* operator performs a projection on each tuple, keeping attributes *Id*, *Line*, and *Up*. It also adds new attributes to the tuple whose values are computed from existing attributes. Attribute *Trip* is derived from the original *Trip* attribute by translating the geometry in the  $(x, y, t)$  space. The temporal shift is 0, hence all copies of the trains move at the same time as their originals. However, spatially, geometries are shifted by distance  $no\_f1 * 30000$  in  $x$ -direction and by distance  $no\_f2 * 30000$  in  $y$ -direction. Here  $no\_f1$  and  $no\_f2$  come from the two instances of the *five* relation. Hence 25 copies are made of each train arranged in a 5 x 5 grid. The field indices in the grid are also kept in the tuple as *FieldX* and *FieldY*. The last operation *consume* collects the stream of tuples into a relation.

```
let train742 = Trains25 feed
  filter[(.Line = 7) and (.FieldX = 4) and (.FieldY = 2)]
  extract[Trip];

let train123 = Trains25 feed
  filter[(.Line = 1) and (.FieldX = 2) and (.FieldY = 3)] extract[Trip];

...

```

Next ten query trains are selected from the new *Trains25* relation. The *extract* operation gets the value of attribute *Trip* from the first tuple of its input stream. Hence *train742* is now an object of type *mpoint*, i.e., a trajectory.

As explained in Section 5.3, we partition the 3D space into small spatiotemporal cells such that each cell contains on the average enough units to fill about  $r$  nodes of an R-tree. The original *Trains* relation fits spatially into a box of size 30000 x 20000, with lower left corner at position (-3600, 1200). Copies are moved by multiples of 30000 as shown above. We now impose a grid with cells of size 10000 x 10000 spatially, and 5 minutes temporally. The calculation leading to these sizes is the following. One can observe that in the original *Trains* relation at any instant of time on the average 90 trains are present. We aim to have about  $p = 15$  objects present within each spatial cell, hence form a grid of 6 cells. This defines the cell size of 10000 x 10000 for the original *Trains* relation. The relation has 51444 units. An R-tree node can take about 60 entries in our implementation; hence to fill about  $r = 5$  nodes, about 300 units should be in a spatiotemporal cell. Assuming units are uniformly distributed in space and time,  $51444 / (6 * 300) = 28.58$  means that the temporal extent should be split into roughly 30 parts. As the temporal extent of the trains relation is about 2.5 hours, the duration of each part should be about 5

minutes. The larger relation *Trains25* will use the same temporal partitioning; the spatial grid cells of size 10000 x 10000 are effectively translated in the same way as the *Trains*.

```
let six00 = theInstant(2003,11,20,6);
let minutes5 = [const duration value (0 300000)];
```

To introduce the temporal partition of the 3D space, we define the instant 6am and a duration of 5 minutes (300000 ms).

```
let UnitTrains25 = Trains25 feed
  projectextendstream[Id, Line, Up; UTrip: units(.Trip)]
  addcounter[No, 1]
  extend[
    Temp: (minimum(deftime(.UTrip)) - six00) / minutes5,
    CellX: real2int((minD(bbox2d(.UTrip), 1) + 3600.0) / 10000.0),
    CellY: real2int((minD(bbox2d(.UTrip), 2) - 1200.0) / 10000.0)]
  sortby[Temp asc, CellX asc, CellY asc, UTrip asc]
  remove[Temp, CellX, CellY]
  consume;
```

The *projectextendstream* operator creates a stream of units from the *Trip* attribute of each input tuple and outputs for each unit a copy of the original tuple restricted to attributes *Id*, *Line*, *Up*, and the new unit attribute *UTrip*. Then *addcounter* adds an attribute *No* with a running number to the current tuple. The *extend* operator computes integer indices *Temp*, *CellX*, and *CellY* according to the 3D partition explained above for a given unit, accessing its geometry. The resulting stream of tuples is sorted first by the three indices of a spatiotemporal cell, and finally by *UTrip* (which in effect is the start time of the unit). After sorting, the indices needed for sorting can be removed again before storing the relation.

```
let UnitTrains25_UTrip = UnitTrains25 feed addid bulkloadrtree[UTrip];
```

The R-tree is created by bulkload. The order in the underlying relation is the same as that used in the bulkload; hence a clustering effect is achieved.

```
let UnitTrains25Cover = coverage(UnitTrains25_UTrip) consume;
```

The *coverage* operator traverses the R-tree, computing the coverage function and from it the three coverage numbers resulting from the *hat* operation (Section 5.3.1). They are entered into relation *UnitTrains25Cover*.

```
let UnitTrains25Cover_RecId = UnitTrains25Cover createbtree[RecId];
```

The relation with coverage numbers is indexed. This completes data generation for our algorithm TC $k$ NN. Next test data for HCNN are generated.

```
let UTOordered25 = UnitTrains25 feed sortby[UTrip asc] consume;
```

```
let UTOordered_RTreeBulk25 = UTOordered25 feed addid
  bulkloadrtree[UTrip];
```

The *UnitTrains25* are ordered by units and stored in this order. This is essentially an order on the start times of units. The index is then built by bulkload on the temporally ordered stream of tuples. Again the index is clustered like the relation. As discussed in Section 7, this version of HCNN is the most efficient one.

```
let UnitTrains25C = Trains25 feed
  projectextendstream[Id, Line, Up; UTrip: units(.Trip)]
  addcounter[No, 1] consume

let UnitTrains_UTrip_tbtrees25 = UnitTrains25C feed addid
  bulkloadtbtrees[Id, UTrip, TID];
```



Finally, for HCT $k$ NN the *UnitTrains25* relation must be in the order of *Train* objects. Then the TB-tree index is built by bulkload.

## D Queries on *Trains 25*, varying $k$

This is a shortened version of file `query-k-trains25`.

```
open database berlintest;
#for different number of neighbors requested, change the value of k

#Germany
query
  UnitTrains25_UTrip UnitTrains25 UnitTrains25Cover_RecId UnitTrains25Cover
  knearestfilter[UTrip, train742, 5] knearest[UTrip,train742, 5] count;
query
  UnitTrains25_UTrip UnitTrains25 UnitTrains25Cover_RecId UnitTrains25Cover
  knearestfilter[UTrip, train523, 5] knearest[UTrip,train523, 5] count;
... (10 queries in total)

# Greece Bulk
query UTOordered_RTreeBulk25 UTOordered25 greeceknearest[UTrip,train742, 5]
  count;
query UTOordered_RTreeBulk25 UTOordered25 greeceknearest[UTrip,train523, 5]
  count;
... (10 queries in total)

#China
query UnitTrains_UTrip_tbtrees25 UnitTrains25 chinaknearest[UTrip,train742,5]
  count;
query UnitTrains_UTrip_tbtrees25 UnitTrains25 chinaknearest[UTrip,train523,5]
  count;
... (10 queries in total)

# Results Germany
query SEC2COMMANDS feed filter[(.CmdNr >= 2) and (.CmdNr <= 11)]
  avg[CpuTime];
query SEC2COUNTERS feed filter[.CtrStr = "SmiRecord::Read:Calls"]
  filter[(.CtrNr >= 2) and (.CtrNr <= 11)] avg[Value];

# Results Greece Bulk
query SEC2COMMANDS feed filter[(.CmdNr >= 12) and (.CmdNr <= 21)]
  avg[CpuTime];
query SEC2COUNTERS feed filter[.CtrStr = "SmiRecord::Read:Calls"]
  filter[(.CtrNr >= 12) and (.CtrNr <= 21)] avg[Value];

# Results China
query SEC2COMMANDS feed filter[(.CmdNr >= 22) and (.CmdNr <= 31)]
  avg[CpuTime];
query SEC2COUNTERS feed filter[.CtrStr = "SmiRecord::Read:Calls"]
  filter[(.CtrNr >= 32) and (.CtrNr <= 41)] avg[Value];

close database;
```

## Verzeichnis der zuletzt erschienenen Informatik-Berichte

- [336] Kunze, C., Lemnitzer, L., Osswald, R. (eds.):  
GLDV-2007 Workshop - Lexical-Semantic and Ontological Resources
- [337] Scheben, U.:  
Simplifying and Unifying Composition for Industrial Models
- [338] Dillhage, R., Grubba, T., Sorbi, A., Weihrauch, K., Zhong, N.:  
CCA 2007 – Fourth International Conference on Computability and Complexity in Analysis
- [339] Beierle, Chr., Kern-Isberner, G. (Eds.): Dynamics of Knowledge and Belief -  
Workshop at the 30th Annual German Conference on Artificial Intelligence, KI-2007
- [340] Düntgen, Chr., Behr, Th., Güting R. H.: BerlinMOD: A Benchmark for Moving Object Databases
- [341] Saatz, I.: Unterstützung des didaktisch-methodischen Designs durch einen Softwareassistenten im e-Learning
- [342] Hönig, C. U.:  
Optimales Task-Graph-Scheduling für homogene und heterogene Zielsysteme
- [343] Güting, R. H.:  
Operator-Based Query Progress Estimation
- [344] Behr, Th., Güting R. H.:  
User Defined Topological Predicates in Database Systems
- [345] vor der Brück, T.; Helbig, H.; Leveling, J.:  
The Readability Checker Delite Technical Report
- [346] vor der Brück:  
Application of Machine Learning Algorithms for Automatic Knowledge Acquisition and Readability Analysis Technical Report
- [347] Fechner, B.:  
Dynamische Fehlererkennungs- und -behebungsmechanismen für verlässliche Mikroprozessoren
- [348] Brattka, V., Dillhage, R., Grubba, T., Klutsch, Angela.:  
CCA 2008 - Fifth International Conference on Computability and Complexity in Analysis
- [349] Osterloh, A.:  
A Lower Bound for Oblivious Dimensional Routing
- [350] Osterloh, A., Keller, J.:  
Das GCA-Modell im Vergleich zum PRAM-Modell
- [351] Fechner, B.:  
GPUs for Dependability